




**YOUR VISION
OUR MACHINES**



PLANNER & THICKNESSER

Elite 41CM

AMUZMA®



Versatile, Powerful, Precise

The Planer and Thicknesser 16 Elite 41CM handles large timber with ease (410mm width, 255mm height). Switch between surfacing and thicknessing effortlessly with a single-handed table lift. The extra-large aluminium fence ensures stability, and quick, accurate adjustments are made with cantered controls and cam-locking mechanisms."

SPECIFICATIONS

Feed Speed	7m/min	Cutting Motor Output	
Cutter block Speed	5500rpm	☒ 3*400V	4kW S6
Cutter block Diameter	70mm	☐ 1*230V	3kW S6
Max Thicknesser Height	4-225mm	Net/Gross Weight	
Max Thicknesser Width	410mm	Package Size	
Min Length of Workpiece	160mm	Dimensions	
Max Depth of Cut	4mm	H	1002mm
Depth Indicator		L	1659mm
☒ Scale		W	1350mm
☐ Digital Readout			
Cutterhead			
☒ Straight Knives	3pcs/410x30x3mm		
☐ 2 Slot Spiral	44pcs/15x15x2.5mm		
Over Length of Planer Tables	1669mm		
Thickness Table Size	650-407mm		
Extractor Port Dia	120mm		


☒ Standard Equipment

☐ Optional Equipment

ACCESSORIES



Manual Handwheel
with Readout



Helical Cutterhead
Assembly






Thicknessing Table
Extension



Adjustment Lever

DIMENSIONS





Contact Us

-  +971 45478088
-  +971 50 857 6840
-  info@amuzmamachinery.com
-  www.amuzmamachinery.com
-  Ras Al Khor, Industrial Area 2,
United Arab Emirates



Website



Contact Us